



Informationsblatt 2a:


Mortality Country Fact Sheet 2006

France



Summary	Year	Males	Females	Both sexes
Population (millions)	2005	29	31	60
Life expectancy (years)	2004	76	83	80
Under-5 mortality (per 1 000 live births)	2004	5	4	5
Adult mortality (per 1 000)	2004	132	60	
Maternal mortality (per 100 000 live births)	2000		17	

Source: World Health Statistics 2006



Legend:

WHO European Region
France


Source: World Health Statistics 2006

Causes of Death

Top ten causes of death, all ages France, 2002			
Causes	Deaths		Years of Life Lost (%)
	(000)	(%)	
All causes	499	100	100
Ischaemic heart disease	45	9	7
Cerebrovascular disease	37	8	5
Trachea, bronchus, lung cancers	26	5	7
Lower respiratory infections	19	4	2
Colon and rectum cancers	17	4	3
Alzheimer and other dementias*	16	3	1
Chronic obstructive pulmonary disease	16	3	2
Breast cancer	12	3	4
Diabetes mellitus	11	2	2
Falls	10	2	1

Source: [Death and DALY estimates by cause, 2002](http://www.who.int/entity/healthinfo/statistics/bodgbddeathdalyestimates.xls)

<http://www.who.int/entity/healthinfo/statistics/bodgbddeathdalyestimates.xls>



Legend:

WHO European Region
France

Source: World Health Statistics 2006

Glossar:

cerebrovascular disease: Krankheiten, die die Blutgefäße des Hirns betreffen (z.B. Hirnschlag)

ischaemic heart disease: Mangel durchblutung am Herz (z.B. Herzinfarkt)

trachea: Luftröhre

respiratory: Atmungs...

colon: Hauptteil des Dickdarms

rectum: Teil des Enddarms

obstructive: behindernd, einengend, versperrend

pulmonary: Lungen...

Diabetes mellitus: Zuckerkrankheit



Informationsblatt 2b:

Mortality Country Fact Sheet 2006

Germany




Summary

	Year	Males	Females	Both sexes
Population (millions)	2005	40	42	83
Life expectancy (years)	2004	76	82	79
Under-5 mortality (per 1 000 live births)	2004	5	5	5
Adult mortality (per 1 000)	2004	112	58	
Maternal mortality (per 100 000 live births)	2000		9	

Source: World Health Statistics 2006

Under-5 mortality rate (per 1 000 live births)

Germany, 2004



Legend:

WHO European Region
Germany

Source: World Health Statistics 2006

Causes of Death

Top ten causes of death, all ages
Germany, 2002

Causes	Deaths		Years of Life Lost (%)
	(000)	(%)	
All causes	815	100	100
Ischaemic heart disease	172	21	16
Cerebrovascular disease	79	10	6
Trachea, bronchus, lung cancers	42	5	7
Colon and rectum cancers	32	4	4
Chronic obstructive pulmonary disease	21	3	2
Diabetes mellitus	20	3	2
Lower respiratory infections	20	3	2
Breast cancer	19	2	3
Hypertensive heart disease	18	2	1
Cirrhosis of the liver	17	2	4


Source: [Death and DALY estimates by cause, 2002](http://www.who.int/entity/healthinfo/statistics/bodgbddeathdalyestimates.xls)

<http://www.who.int/entity/healthinfo/statistics/bodgbddeathdalyestimates.xls>


Life expectancy at birth among males (years)
Germany, 2004



Life expectancy at birth among females (years)
Germany, 2004



Maternal mortality ratio (per 100 000 live births)
Germany, 2000



Legend:

WHO European Region
Germany

Source: World Health Statistics 2006

Glossar:

cerebrovascular disease: Krankheiten, die die Blutgefäße des Hirns betreffen (z.B. Hirnschlag)

ischaemic heart disease: Mangel durchblutung am Herz (z.B. Herzinfarkt)

trachea: Luftröhre

colon: Hauptteil des Dickdarms

rectum: Teil des Enddarms

obstructive: behindernd, einengend, versperrend

Diabetes mellitus: Zuckerkrankheit

respiratory: Atmungs....

pulmonary: Lungen-....

hypertensive: mit hohem Blutdruck



Informationsblatt 2c:


Mortality Country Fact Sheet 2006

Japan



Summary	Year	Males	Females	Both sexes
Population (millions)	2005	63	66	128
Life expectancy (years)	2004	79	86	82
Under-5 mortality (per 1 000 live births)	2004	4	3	4
Adult mortality (per 1 000)	2004	92	45	
Maternal mortality (per 100 000 live births)	2000		10	

Source: World Health Statistics 2006



Legend:

WHO Western Pacific Region
Japan

Source: World Health Statistics 2006

Causes of Death

Top ten causes of death, all ages Japan, 2002			
Causes	Deaths		Years of Life Lost (%)
	(000)	(%)	
All causes	973	100	100
Cerebrovascular disease	133	14	10
Ischaemic heart disease	93	10	8
Lower respiratory infections	91	9	5
Trachea, bronchus, lung cancers	56	6	6
Stomach cancer	50	5	6
Colon and rectum cancers	39	4	4
Liver cancer	34	4	4
Self-inflicted injuries	31	3	9
Nephritis and nephrosis	21	2	1
Pancreas cancer	20	2	2

Source: [Death and DALY estimates by cause, 2002](http://www.who.int/entity/healthinfo/statistics/bodgbdeathdalyestimates.xls)
http://www.who.int/entity/healthinfo/statistics/bodgbdeathdalyestimates.xls


Life expectancy at birth among males (years) Japan, 2004



Life expectancy at birth among females (years) Japan, 2004



Maternal mortality ratio (per 100 000 live births) Japan, 2000



Legend:

WHO Western Pacific Region
Japan

Source: World Health Statistics 2006

Glossar:

cerebrovascular disease: Krankheiten, die die Blutgefäße des Hirns betreffen (z.B. Hirnschlag)

ischaemic heart disease: z.B. Herzinfarkt

respiratory: Atmungs....

trachea: Luftröhre

colon: Hauptteil des Dickdarms

rectum: Teil des Enddarms

self-inflicted injury: Selbstverstümmelung

Nephritis: Nierenentzündung


Pancreas: Bauchspeicheldrüse



Informationsblatt 2d:

Mortality Country Fact Sheet 2006

Under-5 mortality rates per 1 000 live births
by sub-national region
Haiti, 2000



Summary	Year	Males	Females	Both sexes
Population (millions)	2005	4	4	9
Life expectancy (years)	2004	53	56	55
Under-5 mortality (per 1 000 live births)	2004	122	112	117
Adult mortality (per 1 000)	2004	417	358	
Maternal mortality (per 100 000 live births)	2000		680	

Source: World Health Statistics 2006



Legend:

WHO Region of the Americas
Haiti

Source: World Health Statistics 2006

About the map

Note:

- The interval of each of the categories have been derived by taking the difference between the minimum and maximum among the regional rates and dividing it equally into 5. The formula is: (maximum of regional rate - minimum of regional rate)/5
- Rate for 5 years preceding the survey




Source: DHS Haiti 2000

Causes of Death

Top ten causes of death, all ages Haiti, 2002			
Causes	Deaths (000)	(%)	Years of Life Lost (%)
All causes	112	100	100
HIV/AIDS	24	22	20
Lower respiratory infections	7	7	9
Cerebrovascular disease	6	6	3
Meningitis	6	5	8
Diarrhoeal diseases	5	5	7
Perinatal conditions	4	4	7
Tuberculosis	4	4	4
Hypertensive heart disease	3	3	1
Anaemia	3	3	4
Diabetes mellitus	2	3	1

Source: [Death and DALY estimates by cause, 2002](http://www.who.int/entity/healthinfo/statistics/bodgbddeathdalyestimates.xls)

<http://www.who.int/entity/healthinfo/statistics/bodgbddeathdalyestimates.xls>



Legend:

WHO Region of the Americas
Haiti

Source: World Health Statistics 2006

Glossar:

respiratory: Atmungs....

cerebrovascular disease: Krankheiten, die die Blutgefäße des Hirns betreffen (z.B. Hirnschlag)

Meningitis: Hirnhautentzündung

Diarrhoe: Durchfall

perinatal: Zeitraum vom Ende der 28. Schwangerschaftswoche bis zum 7. Tag nach der Geburt

hypertensive: Hochdruck....

Anaemia: Blutarmut, Verminderung der Zahl der roten Blutkörperchen


Diabetes mellitus: Zuckerkrankheit



Informationsblatt 2e:

Mortality Country Fact Sheet 2006


Under-5 mortality rates per 1 000 live births by sub-national region Cameroon, 2004



Summary	Year	Males	Females	Both sexes
Population (millions)	2005	8.1	8.2	16.3
Life expectancy (years)	2004	50	51	50
Under-5 mortality (per 1 000 live births)	2004	156	143	149
Adult mortality (per 1 000)	2004	444	432	
Maternal mortality (per 100 000 live births)	2000		730	

Source: World Health Statistics 2006

Under-5 mortality rate (per 1 000 live births) Cameroon, 2004



Legend:

WHO African Region
Cameroon

Source: World Health Statistics 2006

About the map

Note:

- The interval of each of the categories have been derived by taking the difference between the minimum and maximum among the regional rates and dividing it equally into 5. The formula is: (maximum of regional rate - minimum of regional rate)/5
- Rate for 5 years preceding the survey

Source: DHS Cameroon 2004

Causes of Death

Top ten causes of death, all ages Cameroon, 2002			
Causes	Deaths		Years of Life Lost (%)
	(000)	(%)	
All causes	235	100	100
HIV/AIDS	49	21	24
Lower respiratory infections	32	14	17
Malaria	19	8	11
Diarrhoeal diseases	14	6	8
Perinatal conditions	11	5	7
Cerebrovascular disease	10	4	2
Ischaemic heart disease	9	4	1
Road traffic accidents	5	2	3
Tuberculosis	3	2	2
Whooping cough	3	2	2

Source: [Death and DALY estimates by cause, 2002](http://www.who.int/entity/healthinfo/statistics/bodgbddeathdalyestimates.xls)

<http://www.who.int/entity/healthinfo/statistics/bodgbddeathdalyestimates.xls>


Life expectancy at birth among males (years) Cameroon, 2004



Life expectancy at birth among females (years) Cameroon, 2004



Maternal mortality ratio (per 100 000 live births) Cameroon, 2000



Legend:

WHO African Region
Cameroon

Source: World Health Statistics 2006

Glossar:

respiratory: Atmungs....

Diarrhoe: Durchfall

perinatal: Zeitraum vom Ende der 28. Schwangerschaftswoche bis zum 7. Tag nach der Geburt

cerebrovascular disease: Krankheiten, die die Blutgefäße des Hirns betreffen (z.B. Hirnschlag)

ischaemic heart disease: z.B. Herzinfarkt


whooping cough: Keuchhusten



Informationsblatt 2f:


Mortality Country Fact Sheet 2006

Afghanistan



Summary	Year	Males	Females	Both sexes
Population (millions)	2005	15	14	30
Life expectancy (years)	2004	42	42	42
Under-5 mortality (per 1 000 live births)	2004	258	256	257
Adult mortality (per 1 000)	2004	509	448	
Maternal mortality (per 100 000 live births)	2000		1900	

Source: World Health Statistics 2006



Legend:

WHO Eastern Mediterranean Region
Afghanistan

Source: World Health Statistics 2006

Causes of Death

Top ten causes of death, all ages Afghanistan, 2002				Life expectancy at birth among males (years) Afghanistan, 2004	
Causes	Deaths		Years of Life Lost (%)	Life expectancy at birth among females (years) Afghanistan, 2004	
	(000)	(%)		Maternal mortality ratio (per 100 000 live births) Afghanistan, 2000	
All causes	484	100	100	30	100
Perinatal conditions	61	13	16	30	100
Lower respiratory infections	55	12	14	30	100
Diarrhoeal diseases	41	9	10	30	100
Ischaemic heart disease	33	7	3	30	100
Tuberculosis	21	4	4	30	100
Cerebrovascular disease	11	2	1	30	100
Congenital anomalies	8	2	2	30	100
Road traffic accidents	8	2	2	30	100
Meningitis	8	2	2	30	100
Hypertensive heart disease	7	2	1	30	100

Source: [Death and DALY estimates by cause, 2002](http://www.who.int/entity/healthinfo/statistics/bodgbddeathdalyestimates.xls)
http://www.who.int/entity/healthinfo/statistics/bodgbddeathdalyestimates.xls

Legend:

WHO Eastern Mediterranean Region
Afghanistan

Source: World Health Statistics 2006

Glossar:

perinatal: Zeitraum vom Ende der 28. Schwangerschaftswoche bis zum 7. Tag nach der Geburt

respiratory: Atmungs....

Diarrhoe: Durchfall

ischaemic heart disease: z.B. Herzinfarkt

cerebrovascular disease: Krankheiten, die die Blutgefäße des Hirns betreffen (z.B. Hirnschlag)

congenital anomalies: Geburtsfehler

Meningitis: Hirnhautentzündung

hypertensive: Hochdruck....